
















































































	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	Aspire	Athos	A1	0.16 Parallel	85-100W	Athos	Organic Cotton
	Aspire	Athos	A3	0.3 Tri-Coil	60-75W	Athos	Organic Cotton
	Aspire	Athos	A5	0.16 Penta	100-120W	Athos	Organic Cotton
	Aspire	Atlantis	BVC	0.3 / 0.5 / 1.0	0.2 - 70-80W / 0.5 - 20-30W 1.0 - 40-50W	Atlantis / Atlantis 2	** Fits Tobacco Super Mini Tank ** Organic Cotton
	Aspire	BVC K1	BVC	1.6 / 1.8	For Use on CE Style Tanks	Various	Fits a Variety of Tanks Such as ET, ET-S, CE5, CE5-S
	Aspire	Cleito	BVC	0.2 / 0.4	0.2 - 55-75W / 0.4 - 40-60W	Cleito / Cleito EXO	A1 Clapton / Organic Cotton
	Aspire	Cleito	BVC	0.4	55-65W / 450-530 Degrees	Cleito / Cleito EXO	SS Clapton / Organic Cotton
	Aspire	Cleito 120	BVC	0.16	100-160W / Best 120W	Cleito 120	Organic Cotton
	Aspire	Cleito EXO	BVC	0.16	60-100W	Cleito EXO / Cleito	Organic Cotton / Is Pre-Installed / Tank Capacity is 2ml with this Coil Installed
	Aspire	Cleito EXO	BVC	0.4	40-60W	Cleito EXO / Cleito	Organic Cotton / Tank Capacity is 3.5ml with this Coil Installed
	Aspire	Cleito	RTA	Build Dependent	Various	Cleito / Cleito EXO	2x Clapton .35 - .45 Coils Pre-Installed
	Aspire	Nautilus	BVC	0.7 / 1.8	0.7 - 18-23W 1.8 - 10-14W or 4.2-5V	All Nautilus Except X Triton 2 Mini	0.7 Is Pre-installed / Organic Cotton
	Aspire	Nautilus X	BVC	1.5 / 1.8	1.5 - 20-40W / 1.8 - 12-16W	Nautilus X / PockeX AIO	1.8 is Pre-Installed A1 Kanthal / Organic Cotton
	Aspire	PockeX AIO	U-Tech	1.6	18-23W	PockeX AIO	SS316L / Organic Cotton
	Aspire	Triton	BVC	0.3 / 0.4 / 0.5 / 1.8	0.3 - 45-55W 0.4 - 25-30W 0.5 - 40-45W 1.8 - 10-13W MTL	Triton / Triton 2 / Others	** See Compatibility Notes ** Organic Cotton / 0.5 is Clapton Coil
	Aspire	Triton 2 Mini	BVC	0.15 / 1.2 / 1.8	0.15 - Ni200 Temp Control 1.2 - 15-20W MTL/DTL 1.8 - 13-16W MTL	Triton 2 Mini / Nautilus	0.15 Is Ni200 for Temp Control Use Organic Cotton ** Fits Nautilus **

	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	Aspire	Breeze / 2	BVC	0.6 / 1.0	Fixed in Breeze / Breeze 2	Breeze / Breeze 2	0.6 is Original Breeze Coil 1.0 is Designed for Nic Salts and is included in Breeze 2 Kit
	Aspire	Revvo	ARC	1.0 to 1.6	50-100W / Best 80-85W	Revvo	A1 Kanthal Aspire Radial Coil (ARC) / Organic Cotton / Coil Resistance Varies Between 1.0-1.6 Due to Coil Design
	Eleaf	HW1	Sub	0.2	40-80W / Best 55-65W	Elo / Elo Mini / Elo S Elo T / Elo TS / XL Elo	** Fits Small Coil TFV8 ** SS316L / Single Chamber / Organic Cotton
	Eleaf	HW1-C	Sub	0.25	25-50W / Best 35-40W	Elo / Elo Mini / Elo S Elo T / Elo TS / XL Elo	** Fits Small Coil TFV8 ** Kanthal / Single Chamber / Ceramic
	Eleaf	HW2	Sub	0.3	30-70W / Best 45-60W	Elo / Elo Mini / Elo S Elo T / Elo TS / XL Elo	** Fits Small Coil TFV8 ** Kanthal / Dual Chamber / Organic Cotton @@ May Give Muted Flavor Below 50W @@
	Eleaf	HW3	Sub	0.2	50-130W / Best 70-90W	Elo / Elo Mini / Elo S Elo T / Elo TS / XL Elo	** Fits Small Coil TFV8 ** SS316L / Triple Chamber / Organic Cotton
	Eleaf	HW4	Sub	0.3	40-100W / Best 60-80W	Elo / Elo Mini / Elo S Elo T / Elo TS / XL Elo	** Fits Small Coil TFV8 ** Kanthal / Quad Chamber / Organic Cotton
	Eleaf	HW-M	Sub	0.15	50-100W / Best 70-80W	Elo Duro / Elo Vate	** Fits Small Coil TFV8 ** Kanthal "Multi-Hole" Mesh / Organic Cotton Mesh has larger holes than the HW-N
	Eleaf	HW-N	Sub	0.2	40-90W / Best 65-75W	Elo Duro / Elo Vate	** Fits Small Coil TFV8 ** Kanthal "Net" Mesh / Organic Cotton
	Eleaf	EC	MTL	0.5	20-30W	iJust / Lemo 3 / Melo Melo III	** Classic Coil Compatibility ** A1 Kanthal / BVC / Organic Cotton
	FreeMax	FireLock	Sub	0.15 x 6	60-140W	FireLuke	3x2 (DVC) A1 Configuration / Organic Cotton
	FreeMax	FireLock	Sub	0.15 x 2	80-180W	FireLuke	8 Coil Dual Parallel A1 / Organic Cotton
	FreeMax	FireLock	Sub	0.15 DVC	60-120W	FireLuke	DVC A1 / Organic Cotton
	FreeMax	FireLock	Sub	0.25 DVC	50-100W	FireLuke	DVC A1 / Organic Cotton










	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	FreeMax	FireLock	RTA	Various	Various	FireLuke	Velocity Style Deck Included with FireLuke
	FreeMax	Firelord FLK	Sub	0.25 / 0.5 DVC	0.25 - 20-50W 0.5 - 20/60W	Firelord	DVC A1 / Organic Cotton
	FreeMax	FireMesh	Sub	0.15 Mesh 0.12 SS316	0.15 - 40-90W 0.12 - 400-550 degrees	FireLuke Mesh / Mesh Pro Uforce	** Fits Voopoo Uforce ** A1 Vertical Mesh Coil / Organic Cotton
	GeekVape	IM Series	Sub	IM1 - 0.4 IM4 - 0.15 X1 Mesh - 0.2	0.4 - 40-60W 0.15 - 60-80W 0.2 - 30-90W / Best 60-80W	Shield / Aero / Aero Mesh	** Fits Small Coil TFV8 **
	GeekVape (Digiflavor)	Wildfire	Sub	0.5	30-40W	Digiflavor Wildfire	
	GeekVape	iM	Sub	0.15	50-180W	Illusion	
	GeekVape	Illusion Mini (IM)	MTL	IM1 - 0.5 IM4 - 1.5	0.5 - 40-70W 1.5 - 50-120W	Illusion Mini	** See Compatibility Notes ** Organic Cotton
	Geekvape	Utank	MTL	0.5	20-30W	Utank	
	GeekVape	Upen Nano	MTL	1.2	Fixed in Upen	Upen	Ni80
	Horizon	Arco	Sub	A4 0.2	70-80W	Arco / Arco II / Duo	** Fits Large Coil TFV8 ** Parallel Quad SS / Organic Cotton & Flax Paper
	Horizon	Arco	Sub	A6 0.2	80-90W	Arco / Arco II / Duo	** Fits Large Coil TFV8 ** 3x Vertical SS / Organic Cotton & Flax Paper
	Hozizon	Arco II	Sub	T6 0.2	80-90W	Arco / Arco II / Duo	** Fits Large Coil TFV8 ** 3x Vertical SS / Organic Cotton, Flax Cotton & Flax Paper
	Hozizon	Duo	Sub	Clapton 0.2	90-110W	Duo / Arco / Arco II	** Fits Large Coil TFV8 ** BVC Clapton / Cotton
	Hozizon	Duo	Sub	Octuplet 0.2	100-150W	Duo / Arco / Arco II	** Fits Large Coil TFV8 ** 4x2 BVC / Cotton
	Hozizon	Duo	Sub	Quad 0.2	80-110W	Duo / Arco / Arco II	** Fits Large Coil TFV8 ** 4x1 BVC / Cotton
	Horizon	Duo	Sub	Tiger 0.3	80-100W	Duo / Arco / Arco II	** Fits Large Coil TFV8 ** Tiger Coil / Cotton








	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	Horizon	Falcon	Sub	F1/2/3 - 0.2 M1 - 0.15	F1 / 2 - 80W F3 / M1 - 70W	Falcon	F1 - 70% Cotton, 30% Wood Pulp F2 - Flax Fiber / F3 - Flax Fiber & Flax Paper M1 - Mesh, 70% Cotton, 30% Wood Pulp
	IJoy	CA2/3/8	Sub	CA2 - 0.3 CA3 - 0.00 CA8 - 0.15	CA2 - 60-80W CA3 - 60-100W CA8 - 60-120W	Captain Series (except Mini)	CA2 Preinstalled
	IJoy	CA-M1/2	Sub	CA-M1 - 0.5 CA-M2 - 0.3	M1 - 30-60W M2 - 40-80W	Captain Mini	M2 Preinstalled
	IJoy	X3-C1	Sub	0.4	60-90W	Avenger / Diamond	Organic Cotton
	IJoy	X3-C2	Sub	0.3	60-100W	Avenger / Diamond	Organic Cotton
	IJoy	X3-C3	Sub	0.2 x 6	90-110W	Avenger / Diamond	Sextuple
	IJoy	X3-C1S	Sub	0.35	40-80W	Avenger / Diamond	Wood Pulp & Cotton
	IJoy	X3 Mesh	Sub	0.15	40-90W	Avenger / Diamond	Mesh / Wood Pulp & Cotton
	IJoy	X3	RTA	Build Dependent	Various	Avenger / Diamond	Rebuildable Deck
	IJoy	DM-C1M	Sub	0.35	40-80W	Avenger / Diamond	Organic Cotton
	IJoy	DM-C2M	Sub	0.3	60-100W	Avenger / Diamond	Organic Cotton
	IJoy	DM-DM	Sub	0.15	40-90W	Avenger / Diamond	Organic Cotton
	IJoy	DM Mesh	Sub	0.15	40-90W	Avenger / Diamond	Mesh / Flax Paper & Wood Pulp
	Innokin	Scion 2	Sub	0.36	80-150W	Scion / Scion 2	Quad Coil

	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	Innokin	Scion 2 Plexus	Sub	0.15	60-110W	Scion / Scion 2	Mesh
	Innokin	Scion	Sub	0.28 / 0.5	0.28 - 100-200W 0.5 - 70-110W	Scion / Scion 2	0.28 - A1 Single Parallel BVC 0.5 - A1 Triple BVC
	Innokin	iSub	Sub	0.2 / 0.5 / 2.0	0.2 - 20-50W 0.5 - 10-35W 2.0 - 10-16W	iSub / iSub Apex / iSub G iSub 5 / iSub V TC	A1 Kanthal / Organic Cotton Also Available in Ni200 (0.1 & 0.2) and A1 and S/S Clapton BVC (0.5)
	Innokin	Pocket Mod Slipstream	MTL DTL	0.35 / 1.2	0.35 - 20-40W 1.2 - 10-13W	PocketBox	A1 Kanthal / Organic Cotton. 0.35 - DTL / 1.2 - MTL
	Innokin	Zenith	MTL	0.8 / 1.6	0.8 - 15-18W 1.6 - 10-14W	Zenith	A1 / 1.6 is Suitable for Salt Nic
	Joyetech	Penguin	MTL	0.25	Preset	Penguin	May Wick Better if a Single Small Hole is Put Into Wick / Organic Cotton
	Joyetech	Penguin	DTL	0.6	Preset	Penguin	May Wick Better if a Single Small Hole is Put Into Wick / Organic Cotton
	Joyetech	Penguin	DTL	1.2	Preset	Penguin	May Wick Better if a Single Small Hole is Put Into Wick / Organic Cotton
	Joyetech	Penguin ATO Pack	N/A	N/A	N/A	Penguin	ATO Cartridge Holds 8.8ml / With or Without Included Coil
	Joyetech	ProCore	DTL	ProC1 0.4	40-80W / Best 55-65W	All ProCore Series	** Fits Small Coil TFV8 ** Single Chamber / Ceramic
	Joyetech	ProCore	DTL	ProC2 0.15 x 2	30-70W / Best 45-60W	All ProCore Series	** Fits Small Coil TFV8 ** Dual Chamber / Ceramic
	Joyetech	ProCore	DTL	ProC3 0.2 x 3	40-130W / Best 70-90	All ProCore Series	** Fits Small Coil TFV8 ** Triple Chamber / Ceramic
	Joyetech	ProCore	DTL	ProC4 0.15 x 4	50-110W / Best 60-80	All ProCore Series	** Fits Small Coil TFV8 ** Quad Chamber / Ceramic
	Joyetech	ProCore	MTL	ProC1-S 0.25	25-55W / Best 30-40W	All ProCore Series	** Fits Small Coil TFV8 ** Single Chamber / Ceramic
	Joyetech	ProCore	DTL	ProCA 0.4	40-80W / Best 55-65W	All ProCore Series	** Fits Small Coil TFV8 ** Single Chamber / Ceramic
	Joyetech	ProCore	DTL	ProCD 0.15	40-80W / Best 55-65W	All ProCore Series	** Fits Small Coil TFV8 ** Kanthal Mesh / Single Chamber / Ceramic


	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	Joyetech	BFHN for ECO	MTL	0.5	1.85 Volts Fixed in AIO ECO	AIO ECO	"Bottom Feed High Nicotine" (BFHN) for use with High Nicotine and Salt Nic Liquids. Suitable for use with 40/60 to 70/30 VG/PG Ratios. ECO Battery is 650 mah, 1.85 Volts
	Joyetech	AIO/Cubis	MTL	0.6 SS316	Preset in AIO 30-70W in Cubis	All AIO Models / Cubis	Organic Cotton
	Joyetech	AIO/Cubis	MTL	1.0 SS316	Preset in AIO	All AIO Models / Cubis	Organic Cotton
	Joyetech	ProC for AIO/Cubis	MTL DTL	0.6 15-28W BF is MTL BFL is DTL	Preset in AIO	Cubis / Cubis 2	** BF Coil Fits All Cubis/ Ego AIO/Evic AIO ** Organic Cotton
	Kanger	CLOCC	Sub	0.15 Ni200 0.5 SS 1.5 NiCr	.15 ?? W / .5 15-60W 1.5 7-15W	CLTANK 2.0/4.0 / EVOD PRO / CUPTI/CUPTI 2 TOGO Mini	.15 & .5 are Temp Control / 1.5 for Wattage Mode Organic Japanese Cotton
	Kanger	SSOC OCC	Sub	SS316 0.2 & 0.5 0.5 Ceramic & NiCr / 0.5 A1 Clapton / 1.2 & 1.5 NiCr / 0.15 Ni200	Various Voltage, Wattage and Temp Control	Kanger Subtank / Plus / Mini / Nano / NEBOX / SUBVOD / Top Tank / Top Tank Mini	Organic Japanese Cotton Version 2 BVC Coils can Handle More Wattage than Previous Horizontal Coils
	Kanger	Protank / Evod		1.5 / 1.8 / 2.2 / 2.5	Various Voltage or Wattage	Protank / Protank II / Protank Mini / eVod / eVod Clearomizer / Unitank	Silica Wick / NiCr Wire
	Kanger	T3S / MT3S		1.8 / 2.2 / 2.5 / 2.8	1.8 3.1-3.4V / 2.2 3.5-3.8V 2.5 3.9-4.2V / 2.8 4.3-4.7V	T3S / MT3S	** Fits eVod and Protank ** Silica Wick / A1
	Medusa	TFV8 (V8 Baby)	STP	0.25 Dual Core Staple Clapton	35-85W / Best 55-65W	** Small Coil ** Baby / Big Baby / Baby Light	Also Fits: CARRYS T4-R, Eleaf ELLO Sub-Ohm, Geek Vape Illusion Mini, Ijoy EXO S/X, Sigelei Prism / Slydr-M / T3, Vapefly Fantasy, Vaporesso NRG, Wotofo Flow
	Medusa	TFV8 (V8 Baby)	Tank Track	0.35 Dual Core Tank Track	60-150W / Best 70-120	** Small Coil ** Baby / Big Baby / Baby Light	Also Fits: CARRYS T4-R, Eleaf ELLO Sub-Ohm, Geek Vape Illusion Mini, Ijoy EXO S/X, Sigelei Prism / Slydr-M / T3, Vapefly Fantasy, Vaporesso NRG, Wotofo Flow
	Medusa	TFV12 Prince	Royal Mesh	0.15	40-100W / Best 60-70W	** Massive Coil. ** Prince	Fits TFV12 Prince
	SMOK	TFV8 (V8 Baby)	M2	0.15 / 0.25 / 0.3	0.15 / 0.25 - 30-70W Best 45-60W 0.3 - 25-45W Best 35W (Use in 3.7v)	** Small Coil ** Baby / Big Baby / Baby Light / Baby Prince	Also Fits: CARRYS T4-R, Eleaf ELLO Sub-Ohm, Geek Vape Illusion Mini, Ijoy EXO S/X, Sigelei Prism / Slydr-M / T3, Vapefly Fantasy, Vaporesso NRG, Wotofo Flow












	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	SMOK	TFV8 (V8 Baby)	T6	0.2 x 6	40-130W / Best 70-90W	** Small Coil ** Baby / Big Baby / Baby Light / Baby Prince	Included in Kit Also Fits: CARRYS T4-R, Eleaf ELLO Sub-Ohm, Geek Vape Illusion Mini, Ijoy EXO S/X, Sigelei Prism / Slydr-M / T3, Vapefly Fantasy, Vaporesso NRG, Wotofo Flow
	SMOK	TFV8 (V8 Baby)	T8	0.15 x 8	50-110W / Best 60-80W	** Small Coil ** Baby / Big Baby / Baby Light / Baby Prince	Also Fits: CARRYS T4-R, Eleaf ELLO Sub-Ohm, Geek Vape Illusion Mini, Ijoy EXO S/X, Sigelei Prism / Slydr-M / T3, Vapefly Fantasy, Vaporesso NRG, Wotofo Flow
	SMOK	TFV8 (V8 Baby)	Q2	0.4 / 0.6	0.4 - 40-80W / Best 55-65W 0.6 - 20-50W / Best 30-40W	** Small Coil ** Baby / Big Baby / Baby Light / Baby Prince	Also Fits: CARRYS T4-R, Eleaf ELLO Sub-Ohm, Geek Vape Illusion Mini, Ijoy EXO S/X, Sigelei Prism / Slydr-M / T3, Vapefly Fantasy, Vaporesso NRG, Wotofo Flow
	SMOK	TFV8 (V8 Baby)	X4	0.15 x 4	30-70W / Best 45-60W	** Small Coil ** Baby / Big Baby / Baby Light / Baby Prince	Pre-Installed Also Fits: CARRYS T4-R, Eleaf ELLO Sub-Ohm, Geek Vape Illusion Mini, Ijoy EXO S/X, Sigelei Prism / Slydr-M / T3, Vapefly Fantasy, Vaporesso NRG, Wotofo Flow
	SMOK	TFV8 (V8 Baby)	Strip (Mesh)	0.15	40-100W / Best 60-80W	** Small Coil ** Baby / Big Baby / Baby Light / Baby Prince	Also Fits: CARRYS T4-R, Eleaf ELLO Sub-Ohm, Geek Vape Illusion Mini, Ijoy EXO S/X, Sigelei Prism / Slydr-M / T3, Vapefly Fantasy, Vaporesso NRG, Wotofo Flow
	SMOK	TFV8 (V8 Baby)	RBA	Pre-Coiled With 0.35 x 2	30-60W / Best 50W	** Small Coil ** Baby / Big Baby / Baby Light / Baby Prince	Included in Kit / Needs RBA Glass Tube Also Fits: CARRYS T4-R, Eleaf ELLO Sub-Ohm, Geek Vape Illusion Mini, Ijoy EXO S/X, Sigelei Prism / Slydr-M / T3, Vapefly Fantasy, Vaporesso NRG, Wotofo Flow
	Smok	TFV8 (V8 Large)	T6	0.2 x 6	50-240W / Best 110-150W	** Large Coil ** Cloud Beast	** See Compatibility Notes **
	Smok	TFV8 (V8 Large)	T8	0.15 x 8	50-260W / Best 120-180W	** Large Coil ** Cloud Beast	Pre-Installed ** See Compatibility Notes **
	Smok	TFV8 (V8 Large)	T10	0.12 x 10	50-300W / Best 130-190W	** Large Coil ** Cloud Beast	** See Compatibility Notes **








	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	Smok	TFV8 (V8 Large)	Q4	0.15 x 4	50-180W / Best 90-150W	** Large Coil ** Cloud Beast	Included in Kit ** See Compatibility Notes **
	Smok	TFV8 (V8 Large)	X4	0.15 x 4	60-150W / Best 80-120W	** Large Coil ** Cloud Beast	** See Compatibility Notes **
	Smok	TFV8 (V8 Large)	RBA	Build Dependent	Various	** Large Coil ** Cloud Beast	Included in Kit V8 RBA Pre-Installed 0.28 Fused Clapton x2 V8 RBA8 Pre-Installed 0.3 8 Core Fused Clapton V8 RBA16 Pre-Installed 8 Core Fused Clapton x2
	SMOK	X-Baby	M2	0.25 x 2	Best With 3.7v Mech	X-Baby (Baby Brother)	Included in Kit
	SMOK	X-Baby	T6	0.2 x 6	40-130W / Best 70-90W	X-Baby (Baby Brother)	Recommend Packs as Coil Life Can Be Short
	SMOK	X-Baby	Q2	0.4 x 2	40-80W / Best 55-65W	X-Baby (Baby Brother)	Pre-Installed
	SMOK	X-Baby	X4	0.13 x 4	30-70W / Best 45-60W	X-Baby (Baby Brother)	Recommend Packs as Coil Life Can Be Short
	SMOK	X-Baby	RBA	0.35 x 2	Build Dependent	X-Baby (Baby Brother)	Recommend Packs as Coil Life Can Be Short
	SMOK	TFV12	Q4	0.15 x 4	50-180W / Best 90-150W	** Massive Coil ** Cloud Beast "King"	** Massive Coil ** Included in Kit

	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
 <p>V12-RBA</p> <p>• 25mm large deck, suitable for all types of material wire, single, plus or four winding operation • 1.5mm wire pitch • Single coil ultimate airflow</p>	SMOK	TFV12	RBA	X2 Deck	Build Dependent	** Massive Coil ** Cloud Beast "King"	Can Build Single Coil
 <p>V12-RBA-T</p> <p>• 27mm large deck • Precision for all wire types • Available for single and four winding</p>	SMOK	TFV12	RBA-T	X3 Deck	Build Dependent	** Massive Coil ** Cloud Beast "King"	Can Build Single Coil
 <p>V12-T6</p> <p>• 1.2mm wire pitch • 2.5mm large deck • 1.5mm wire pitch • 1.5mm wire pitch • 1.5mm wire pitch</p>	SMOK	TFV12	T6	0.2 x 6	50-240W / Best 110-150W	** Massive Coil ** Cloud Beast "King"	** Massive Coil ** Recommend Packs as Coil Life Can Be Short
 <p>V12-T8</p> <p>• 0.75mm wire pitch • 2.5mm large deck • 1.5mm wire pitch • 1.5mm wire pitch</p>	SMOK	TFV12	T8	0.15 x 8	50-260W / Best 120-180W	** Massive Coil ** Cloud Beast "King"	** Massive Coil ** Recommend Packs as Coil Life Can Be Short
 <p>V12-T12</p> <p>• 0.12mm wire pitch • 2.5mm large deck • 1.5mm wire pitch • 1.5mm wire pitch</p>	SMOK	TFV12	T12	0.12 x 12	60-350W / Best 130-200W	** Massive Coil ** Cloud Beast "King"	** Massive Coil ** Pre-Installed
 <p>V12-T14</p> <p>• 0.12mm wire pitch • 2.5mm large deck • 1.5mm wire pitch • 1.5mm wire pitch</p>	SMOK	TFV12	T14	0.12 x 14	80-350W / Best 120-200W	** Massive Coil ** Cloud Beast "King"	** Massive Coil ** Recommend Packs as Coil Life Can Be Short
 <p>V12-X4</p> <p>• 0.15mm wire pitch • 2.5mm large deck • 1.5mm wire pitch • 1.5mm wire pitch</p>	SMOK	TFV12	X4	0.15 x 4	60-150W / Best 80-120W	** Massive Coil ** Cloud Beast "King"	** Massive Coil ** Included in Kit

	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	SMOK	TFV12	M4	0.17 x 4	30-70W / Best 45-55W	** Massive Coil ** Cloud Beast "Prince"	** Massive Coil ** Recommend Packs as Coil Life Can Be Short
	SMOK	TFV12	Q4	0.4 x 4	40-100W / Best 60-80W	** Massive Coil ** Cloud Beast "Prince"	** Massive Coil ** Pre-Installed
	SMOK	TFV12	RDA	0.25 x 2	Build Dependent	** Massive Coil ** Cloud Beast "Prince"	** Massive Coil ** Recommend Packs as Coil Life Can Be Short
	SMOK	TFV12	T10	0.12 x 10	60-120W / Best 80-110W	** Massive Coil ** Cloud Beast "Prince"	** Massive Coil **
	SMOK	TFV12	X6	0.15 x 6	50-120W / Best 80-100W	** Massive Coil ** Cloud Beast "Prince"	** Massive Coil **
	SMOK	TFV12	Mesh	0.15	40-80W / Best 60-70W	** Massive Coil ** Cloud Beast "Prince"	** Massive Coil ** Kanthal Mesh "Mesh" is Wider than the "Strip" Version for More Even E-Liquid Vaporization
	Smok	TFV12	Strip	0.15	40-100W / Best 80-90w	** Massive Coil ** Cloud Beast "Prince"	** Massive Coil ** Kanthal Mesh "Strip" is Narrower than the "Mesh" Version for Faster Heating
	SMOK	VapePen	Sub	0.25	Fixed in Vape Pen / 22	Vape Pen / Vape Pen 22	A1 Dual Coil / Organic Cotton
	SMOK	VapePen	Strip	0.15	Fixed in Vape Pen / 22	Vape Pen / Vape Pen 22	Kanthal Mesh "Strip" is Narrower than the "Mesh" Version for Faster Heating
	SMOK	VapePen	Mesh	0.15	Fixed in Vape Pen / 22	Vape Pen / Vape Pen 22	Kanthal Mesh "Mesh" is Wider than the "Strip" Version for More Even E-Liquid Vaporization

	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	Sourin	Drop	Pod	1.3 to 1.4	N/A	Sourin Drop	2ml Capacity / 300mah Battery
	Sourin	Air	Pod	1.3 to 1.4	N/A	Sourin Air	2ml Capacity / 400mah Battery
	Tobacco	Mini Super	Sub	0.2 / 0.5	0.2 - 40-100W 0.5 - 30-100W	Mini Super Tank	Aspire Atlantis & Triton Coil Fit This Tank
	Uwell	Crown	Sub	0.15 / 0.25 / 0.5 / 1.2	0.15 - 400-600F 0.25 - 80-120W 0.5 - 50-70W 1.2 - 10-30W MTL	Crown	0.15 Ni200 / 0.25, 0.5, 1.2 SS316 / 1.2 is MTL
	Uwell	Crown II	Sub	0.25 / 0.5 / 0.8	0.25 - 60-80W 0.5 - 50-80W 0.8 - 35-50W	Crown II	.25, 0.5 SS316, 0.8 A1 / Organic Cotton
	Uwell	Crown III	Sub	0.25 / 0.4 / 0.5	0.25 - 80-90W 0.4 - 55-65W 0.5 - 55-65W	Crown III	.25 & 0.5 SS316 Parallel / 0.4 SS316 & A1
	Uwell	Nunchaku	Sub	0.25 / .4	0.25 - 40-50W 0.4 - 45-55W	Nunchaku	Coils are A1 Claptonized
	Uwell	Valyrian	Sub	0.15	95-120W	Valyrian / Mini	A1 Quad Coil
	Vaporesso	EUC	Sub	0.4 / 0.5. 0.5 Ceramic	0.4 - 40-50W 0.5 - 35-40W 0.5 Ceramic - 25-35W	Vaporesso Attitude / Drizzle / Estoc / Veco / Veco Plus	** Fits EUC Compatible ** 0.4 & 0.5 Clapton / 0.5 Ceramic SS316L
	Vaporesso	GTM	GTM2	0.4	40-80W	Cascade	Plug-Pull Coil
	Vaporesso	GTM	GTM8	0.15	80-200W	Cascade	Plug-Pull Coil
	Vaporesso	GTM	GT Core Adapter	N/A	N/A	Cascade	Adapter Allows Use of Vaporesso NRG (GT) Coils ** Should Work With Small Coil TFV **
	Vaporesso	GT	GT2	0.4 Single	40-80W / Best 50-65W	NRG / NRG SE Cascade Baby & Mini	** Fits Small Coil TFV8 ** Stainless Steel

	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
 GT4 (0.15Ω)	Vaporesso	GT	GT4	0.15 x 2	30-70W / Best 40-60W	NRG / NRG SE Cascade Baby & Mini	** Fits Small Coil TFV8 ** Stainless Steel
 GT6 (0.2Ω)	Vaporesso	GT	GT6	0.2 x 3	30-100W / Best 65-85W	NRG / NRG SE Cascade Baby & Mini	** Fits Small Coil TFV8 ** Stainless Steel
 GT8 (0.15Ω)	Vaporesso	GT	GT8	0.15 x 4	40-110W / Best 60-80W	NRG / NRG SE Cascade Baby & Mini	** Fits Small Coil TFV8 ** Stainless Steel
	Vaporesso	GT	Mesh	0.18	50-90W / Best 50-85W	NRG / NRG SE Cascade Baby & Mini	** Fits Small Coil TFV8 **
 GT CELL (0.5Ω) Ceramic	Vaporesso	NRG	GT Core	0.5 Ceramic	15-40W / Best 20-35W	NRG / NRG SE Cascade Baby & Mini	** Fits Small Coil TFV8 **
	Vaprio	Frogman	W2	0.4	30-80W / Best 45-65W	Frogman / XL	** Fits Small Coil TFV8 ** Single Chamber
	Vaprio	Frogman	W4	0.15	30-70W / 45-60W	Frogman / XL	** Fits Small Coil TFV8 ** Dual Chamber
	Vaprio	Frogman	W6	0.12	40-130W / Best 70-90W	Frogman / XL	** Fits Small Coil TFV8 ** Triple Chamber
	Vaprio	Frogman	W8	0.15	50-110W / Best 60-80W	Frogman / XL	** Fits Small Coil TFV8 ** Equivalent to V8 Baby T8
	Vaprio	Throne	D1 / D2	D1 - 0.25 NiCr D2 - 1.2 A1	D1 - 30-70W / Best 40-60W D2 - 5-20W / Best 10-15W	Throne	D1 is DTL / D2 is MTL
	Voopoo	Uforce	U2	0.4 x 2	40-80W / Best 55-65W	Uforce / Fireluke Mesh	** Fits Freemax Fireluke ** Dual SS BVC / Organic Cotton

	Brand	Model	Type	Ohms / Coils	Wattage	Fits	Notes
	Voopoo	Uforce	U4	0.23 x 4	50-120W / Best 60-80W	Uforce / Fireluke Mesh	** Fits Freemax Fireluke ** Quad SS BVC / Organic Cotton
	VO-Tech	VO-M	Sub	0.2 / 0.5	0.2 - 45-65W 0.5 - 35-55W	VO-M	SS316 / Natural Cotton
	Wismec	Gnome WM	WM01	0.4	40-70W / Best 50-60W	Gnome / Gnome Evo Gnome King	A1 Single Coil / Organic Cotton
	Wismec	Gnome WM	WM02	0.15	30-70W / Best 45-60W	Gnome / Gnome Evo Gnome King	A1 Dual Coil / Organic Cotton
	Wismec	Gnome WM	WM03	0.2	40-130W / Best 70-90W	Gnome / Gnome Evo Gnome King	A1 Triple Coil / Organic Cotton
	Wismec	Gnome WM	WM-M	0.15	40-100W / Best 65-75	Gnome / Gnome Evo Gnome King	A1 Mesh Coil / Organic Cotton
	Wotofo	Flow	Sub	0.25	35-60W	Flow	** Fits Small Coil TFV8 ** A1 Kanthal / Parallel Dual Coil / Organic Cotton
							Created by Jim Bowen email: jim@moonmountain.com
						Yellow Highlighted Cells Indicate Coils With Cross- Compatability	Use and Reproduce Freely. Please do not Alter this Sheet Without First Contacting Jim Bowen. Please Forward Suggestions and Corrections to the Above Email Address.
							Last Revision: 7/5/18
						Changes Since Last Uploaded Revision	Added the following coils: Geekvape, Innokin, Wismec, Medusa Mesh, TFV12 Prince Mesh/ Strip, Vape Pen 22 Mesh/Strip, Aspire Breeze. Updated Kanger SSOC/OCC